




Excel
Filtration Pvt. Ltd.



DIRECTOR SPEECH

Excel Filtration Pvt. Ltd. (EFPL) is one of the largest Manufacturers, Exporters and Importers of water treatment plant like Packaged Drinking Mineral Water Plant, Carbonated Soft drink project, Juice Project, Ro Plant, STP Plant, ETP Plant and UF Plant etc, serving the industries more than two decade.

Our aim is to provide high quality of machinery with new state of art technology to our client. EFPL always believe in excellence and innovation in technology.



Chirag Shah
Managing Director

Our Mission is to become India's No. 1 Company.

MISSION

- Good companies will meet needs,
- Great Companies will create markets.
- At EFPL, We Help to create market and make you create one for yourself.

Our mission is to deliver the expertise, and earn profit for the customers.

VISION


Our vision is to develop experience, design business which includes adding services to our business and our products. We are here to sell value, not price. Join hands with Excel to excel your business and finally to excel your life.

We represent, serve and promote the latest and advanced technology machineries to different industries/sectors and maximize value for our stakeholders by providing them the best products and services. We maintain their competitive advantage and also provide growth to the Water Treatment Industry.

VALUES

- A. Integrity** : We are honest with others and ourselves. We meet the highest professional standards in all our business dealings. We do what we say.
- B. Responsibility** : We accept responsibility towards our stakeholders, customers, partners and the environment, holding ourselves accountable for our work and our actions.
- C. Teamwork** : We have employees from different culture and backgrounds and with different point of views. We contribute as individuals and succeed in unity by sharing and building on knowledge and opinions that deliver results. We also believe in brainstorming.
- D. Innovation** : We are innovative, practical and bold, allowing us to create new ideas and adopt new technologies for the benefit of our customers, our business, and our employees. New thinking and new ideas are encouraged and nurtured throughout our national / global operation.

OUR CERTIFICATES AND AWARDS



Client Testimonial

- 1] Gokul Food & Beverages** - Ahmedabad - The Mineral Water plant supplied by Excel Filtration Pvt. Ltd., is excellent. We have been using the same for the last five years and above, but we find the same working with flawless efficiency..... Excel filtration pvt ltd., manufactures excellent quality machinery.
- 2] J.K. Tyres** - Mr. Mahesh Vyas - Excel Filtration has provided with a world class waste water treatment plant which is helping us recycle 95 % of water resulting in huge savings and has helped our management receive the achievement award in the entire J.K. Group of companies.
- 3] TATA Coffee** - Excel Filtration has supplied TATA Coffee with a excellent R.O. system, which has been giving us trouble free services for the last five years

Excel House



TURNKEY BASED PACKAGED DRINKING MINERAL WATER PROJECT (WITH ISI MARK)



Pet Blow Machine
(Semi Automatic)

OR



Pet Blow Machine
(Fully Automatic)



Pouch Packaging Machine



Bulk Shrink Machine
(Semi Automatic)

OR




Bulk Shrink Machine
(Fully Automatic)

TURNKEY BASED PACKAGED DRINKING MINERAL WATER PROJECT (WITH ISI MARK)



Bottle Filling Machine



Glass Filling Machine



Jar Filling Machine



Boop Labeling Machine

OR



Sticker Labeling Machine



Batch Coding Machine

Value Added Technologies

- A. Ozone Booster Technology
- B. Added Mineral Technology
- C. Electro - Motive Force Technology (emf)
- D. Spring Technology

- E. Silverization Technology
- F. Sweetening Technology
- G. Naturally Alkaline Added Mineral Technology
- H. Vitamin b12 Technology

OUR PRODUCT RANGE

MINERAL WATER PLANT

- Capacity - 1000 to 20000 LPH and above
- MOC : SS 304
- Inner food Grade rubber lining - gives added strength, corrosion resistance & long durability
- Power : 3 Phase
- Mounting - skid mounted design



COMMERCIAL ALKALINE WATER IONIZER

- Capacity - 500/1000 LPH and above
- Japanese blending technology
- Dimension - 40x22x41 cm
- Power : 400 w
- Continues ionization in water

BENEFITS :

- Increase pH
- Provides antioxidants
- Provides minerals
- Improves Immune system
- Improves metabolism
- Improves digestion



OUR PRODUCT RANGE

POUCH PACKAGING MACHINE

- Packing range: 50 ml to 500ml.
- Film Width: 225/240/325 mm
- Film thickness up to: 100 microns
- Film material: co-extruded virgin films
- Power consumption: 1HP
- Power Requirement : Single phase, 220v, 50 Hz
- Machine Dimensions: 1700 (H) X 800 (W) X 1200 (D) MM
- Net weight: 300 kg (Approx)



SEMI AUTOMATIC JAR WASHING MACHINE

- Storage Tanks & pipes : SS 304
- Washing speed : 2 bottles per stroke
- Washing range : 1 ltr. To 20 ltr. Bottle
- Hot water and Normal water washing system
- Weight : 120 K.G
- Dimensions: L - 2.5' x W - 3' x H - 5'
- Pressurized washing



FULLY AUTOMATIC JAR FILLING MACHINE


- Production : 120/240/480 JPH & Above
- Washing: 5 Stage
- Filling head : 1 / 2 / 4
- Cap Sealing head : 1 / 2
- Source : 220V, 50HZ.
- Capacity : 20 ltr
- Dimensions
- LXBXH : 10 x 2 x 7 feet
- Weight : 500 Kgs. (Approx.)
- Materials : SS 304
- Electric load : 5 KW



OUR PRODUCT RANGE


GLASS FILLING MACHINE

- Capacity : 30, 60, 90, 120, Cups / Min.
- Plastic cup dropping station
- Filling station
- Aluminum foil lid placing station
- Weight: 350 K.G
- Dimensions: L - 8ft x W-5ft x H-3'.5" ft
- Power consumption : 1HP -
- Accurate greater & cutters are installed to cut & seal accurately
- Temp sensors & auto filling level sensors are also provided



SEMI AUTOMATIC BOTTLE FILLING MACHINE-24 BPM

- Filling Cap : 24 BPM(1440 Bottles / hour)
- Easy operating system
- Low maintenance
- Power consumption : 5 to 6 hp required
III Phase -
- Rinsing clone manually
- Weight – 800 kgs. (Approx.)



FULLY AUTOMATIC BOTTLE FILLING MACHINE

- Capacity : 24 / 40 / 60 / 90 / 120 / 250 BPM and above
- Automatic rinsing, filling & capping operation
- Cap Hooper of 1000 caps capacity
- Air blower 5ft. with blower
- Power consumption : 6 to 7 HP and higher,
- Weight : 1500 Kgs. (Approx.)
- Shrink Tunnel Inbuilt



OUR PRODUCT RANGE

SEMI AUTOMATIC PET BLOW MACHINE

- Production Speed: 1000 to 1200 BPH
- Production Capacity: 50ml to 2000ml
- Hydro – pneumatic locking system
- Heating unit & blowing unit
- Heating zone adjustable as per the size of preforms
- Integrated water loading system in blow m/c is also given for better result
- Weight : 1500 K.G. (Including Heater)
- Dimensions : L-7ft x W-2.6ft x H- 12ft



FULLY AUTOMATIC PET BLOW MACHINE

- Production Speed: 1000 / 2000 / 3600 / 5400 / 7200BPH
- Neck dia : 28mm suitable for 35 Bar Air
- Hydraulic Clamping System
- Infrared Conveyerised Preheating System Four Modules
- Incremental Heater Settings by 1% to 99%
- No Preform No Blow
- Display interface via 320 x 240 graphic display process on line Control. (Mould Memory, Error Memory)
- Neck Holder: SS 304
- Hyd. Locking Check Valve for Power Saver



OUR PRODUCT RANGE

AUTOMATIC BOPP LABELLING MACHINE

- Output Speed : 40 / 60 / 90 / 120 / 150 / 220 & above BPM
- Bottle Diameter : 50 - 95 mm
- Bottle Height : 150 - 350 mm
- Size Of Label : H 50 - 100mm, L 160 - 295mm
- Diameter of Label Roll (mm) :
- Inner: 150 mm Outer : 500 mm
- Power Supply : 430V, 50/60 Hz, 3 Phase
- Machine Dimension (feet) : 10' (L) x 4' (W) x 6' (H)



SLEEVE APPLICATOR

- Label Height: 8 mm to 90 mm
- Standard Label: 12 mm to Unlimited
- Label Roll Dia : 300/400 mm
- Core Dia : 75/76 mm
- Electrical : 220 VAC, Single Phase, 50/60 Hz, 1.2, Amp. : 0.5 Kw
- Speed *: Up to 120 labels per minute
- Conveyor Height: 865-960 mm
- Overall: 825x715x1550 mm
- Dimensions (feet) 6' (L) x 4' (W) x 7' (H)



STICKER LABELLING MACHINE

- Speed : 30/40/60/9 & Above
- Electric power : single phase
- Dimensions: 1500 L x 800 w x 1700 h
- Weight : 170 - 200 kg approx
- Conveyor length : 6 feet
- Power : 2 hp



OUR PRODUCT RANGE

BULK SHRINK MACHINE - SEMI AUTOMATIC

- Power Supply : 440v, 3 phase with neutral
max film width : 550mm
- Max height of product : 375 mm
- Film type : LDPE
- 4 pneumatic cylinder
- Air Consumption : 6 cfm@ 7 bar
- Infeed conveyer - 1500



BULK SHRINK MACHINE - FULLY AUTOMATIC

- Power Supply : 440v, 3 phase with neutral
max film width : 550mm
- Max height of product : 375 mm
- 6 pneumatic cylinder
- Programming PLC HMI
- Film type : LDPE
- Air Consumption : 8-10 cfm@ 80 Psi



BATCH CODING MACHINE

- Upto 2 Lines of print with speed
- More then 250 bpm print
- IP 55
- Ethernet
- Weight : 20 K.G
- Dimensions : L - 3ft x W - 3ft x H - 4ft
- Power consumption : 1Hp



OUR PRODUCT RANGE

WATER CHILLER MACHINE

- Capacity: 2, 3, 5 Ton and above
- Body: MS structure
- Insulation: Puf Insulation
- Compressor: Copland Emerson Make
- Motor: ISI standard fan motor 20" Fans
- Condenser
- Weight: 180 to 200 KG
- Power consumption: 3 to 15 HP
- Max outlet water temperature - 5°c



ISI LABORATORY

- Micro & Chemical labs approved by BIS
- All testing chemicals & instruments
- Appropriate glassware
- Proper training is imparted
- Power consumption: 4 Hp



OUR PRODUCT RANGE

COMPLETE CARBONATED SOFT DRINK PROJECT



COMPLETE JUICE FILLING PROJECT



OUR PRODUCT RANGE



SODA SOFT DRINK SEMI AUTOMATIC PROJECT



SODA SOFT DRINK FULLY AUTOMATIC PROJECT

OUR PRODUCT RANGE



FULLY AUTOMATIC JUICE FILLING MACHINE



FULLY AUTOMATIC CARBONATION PLANT



PLATE HEAT EXCHANGER (PHE)

OUR PRODUCT RANGE



Sugar syrup
Melting tank / Heating tank / Preparation tank



Sugar syrup filter press



Blending tanks



Pasteurizer

OUR PRODUCT RANGE



Homogenizer



CIP (Cleaning in place) System

OUR PRODUCTS



FRP RO 500 LPH



SS RO 1000 LPH



WATER SOFTNER PLANT



DM PLANT



SWIMMING POOL SYSTEM



STP



ETP













**ULTRAFILTRATION PLANT
(UF PLANT)**



**PRESSURE BOOSTER SYSTEM
(PRESSURE PUMP)**

OUR CLIENTELE

			
			
			
			
			
			
			
			
		And Many More...	

OUR CERTIFICATIONS



Excel House



Corp Off. : 307, The Grand Monarch Complex, 100 Ft. Shyamal Road, Near Seema Hall, Satellite, Ahmedabad-380 015. **Phone :** +91 - 79 - 40060230 - 31 - 26766177, M : 9227208234/8980007055
E-mail : admin@watertreat.in, ceo@efplwater.com | **Web :** www.excelfiltration.in, www.watertreat.in

Factory : 24 Kesar Sopan Estate, Sarvoday Hotel Lane, Moraiya Crossing, Sarkhej Bavla Highway, Moraiya, Changodar, Ahmedabad, (Guj.) India. (M) 89804 10100